




## **PRODUCT UPDATES & COMMUNICATION**

### **ALGARVE CANVAS**

## **NEWSLETTERS 2026**

05.2026 - Campioni di vetro Outdoor  
04.2026 – Modifica ai colori standard  
04.2026 – Pannelli scorrevoli in vetro  
04.2026 – Disegni AutoCAD  
03.2026 - Tariffa oraria dei tecnici  
03.2026 – Novità sui prodotti RIO  
03.2026 – Spese di trasporto del Servizio Outdoor  
03.2026 – Perché un caso di assistenza?  
02.2026 - Gamma di colori: modifica delle polveri Tiger  
02.2026 - Novità: pannelli CosySound  
01.2026 - Change in standard colours  
01.2026 – New: Algarve power socket  
01.2026 – Outdoor Curtains  
01.2026 - Simplified returns process

## **NEWSLETTERS 2025**

12.2025 - UPDATE ON GLASS SLIDING PANELS  
12.2025 – Outdoor Curtains – Torna all'indice-orders  
12.2025 - 'Winter is coming'  
11.2025 - Discontinuation: Axalta AE03107070320  
09.2025 - New product videos available now  
09.2025 - Product updates Aero & Algarve  
08.2025 - Update powder colour codes  
06.2025 - Updates glass sliding panels  
06.2025 - Loggia Privacy: adjustable damper  
06.2025 - Update user manual Outdoor Loggia  
06.2025 - Indoor colour guide: Powder code SA021E (former AE80019164421)  
05.2025 - Shop-In-Shop: wrong colour sample RAL 8014  
05.2025 - Algarve Storage Room in RIO  
05.2025 - New: Renson Carport at NOA  
04.2025 - Color Guide  
02.2025 - Garanzia Outdoor: nuova procedura di registrazione  
02.2025 - Algarve Fixscreen: ordini arretrati  
02.2025 - Renson Service return policy

01.2025 - Color guide 2025

01.2025 - RIO help texts

01.2025 - Order separate profiles from price list

## **NEWSLETTERS 2024**

12.2024 - Outdoor warranty 2025

12.2024 - Outdoor Loggia: product updates

12.2024 - Algarve storage wall:

11.2024 - Customized Solutions

10.2024 - Packaging: guidelines for preventing sun damage

09.2024 - Standard colours

05.2024 - Benefits of an Outdoor Service Case

04.2024 - Loggia Linea

04.2024 - Loggia (Double) Canvas

04.2024 - Use of the colour guide

02.2024 - Outdoor curtains

02.2024 - Glass sliding wall


## NEWSLETTERS 2026

### 05.2026 - Campioni di vetro Outdoor

Come sapete, abbiamo recentemente lanciato un nuovo tipo di vetro: il vetro fumé. Questo tipo di vetro crea un aspetto caldo ed elegante, aggiungendo un tocco di carattere.

Per mostrare chiaramente la differenza tra vetro trasparente, satinato e fumé, ora disponiamo anche **di pratici campioni**. Ogni confezione contiene i tre tipi di vetro, ciascuno di 10 x 10 cm. In questo modo potete mostrare ai clienti quale si adatta meglio al loro progetto.

I campioni saranno disponibili in RIO dal 5 giugno e possono essere ordinati facilmente tramite il vostro budget marketing.



**RIO:** POS Outdoor Glass samples  
€ 40,00 - G390013 / 2003187

[Torna all'indice](#)

#### **04.2026 – Modifica ai colori standard**

C'è un ulteriore aggiornamento sui nostri colori standard. Un colore Shop in Shop è stato rimosso dal gruppo dei colori standard. Ciò significa che ora ci sono **tre colori Shop in Shop che non sono più standard**.

Si tratta dei seguenti colori:

- AE30017702420 - RAL 7024 - Grigio grafite poliestere Architectural AE
- AE70018720125 - RAL 8014 - Marrone seppia Poliestere Architectural AE
- AE03056600820 - RAL 6008 - Axalta RAL6008 Fine Texture

Sia la guida ai colori che RIO sono stati completamente aggiornati. Potete trovare queste informazioni come sempre sul Portale Professional. Vi preghiamo di tenere conto di questa modifica quando effettuerete ordini futuri.


[Torna all'indice](#)

#### **04.2026 – Pannelli scorrevoli in vetro**

Come annunciato in precedenza, i nostri pannelli scorrevoli sono ora disponibili anche **in vetro fumé**. Ciò conferisce alla gamma un aspetto ancora più elegante e moderno.

Per supportare questo lancio, stiamo attualmente lavorando su piccoli **campioni POS**. Questi saranno presto disponibili per l'ordine. Seguiranno ulteriori informazioni.

Nel frattempo, stiamo già fornendo materiale visivo **in formato [GIF](#) e [formato foto](#)**. È possibile scaricarli e utilizzarli immediatamente sui propri canali per mettere in evidenza i nuovi pannelli scorrevoli.



[Torna all'indice](#)


## 04.2026 – Disegni AutoCAD

Volete utilizzare i disegni AutoCAD dal nostro Portale Professionale, ma copiarli in un nuovo file non sempre funziona. Per aiutarvi a procedere in modo rapido e senza intoppi, abbiamo aggiunto una breve guida passo passo che vi permette di trasferire i disegni in un nuovo file senza alcun problema.


### Cosa è importante dal PDF:


#### AutoCAD

A. Vai alla scheda layout e fai clic con il tasto destro del mouse sulla scheda.




B. Appare un menu. Fai clic su Esporta layout nel modello. Il software ti chiede ora di salvarlo come un nuovo file.







C. Dopo aver salvato il nuovo file, il software ti chiede di aprirlo. Fai clic su «Apri».



- D. Il nuovo disegno si apre e appare nella scheda Modello.  
Ora puoi selezionare e copiare le viste del modello.



[Torna all'indice](#)

### **03.2026 - Tariffa oraria dei tecnici**

Per continuare a garantire la nostra qualità e mantenere il nostro servizio ai massimi livelli, abbiamo adeguato la tariffa oraria dei nostri tecnici. La nuova tariffa è di **65,00 € all'ora**, anziché 56,50 €.

Questo adeguamento ci aiuta a continuare a investire in tecnici ben preparati, attrezzature moderne e un servizio su cui potete contare sia oggi che in futuro.

[Torna all'indice](#)

### **03.2026 – Novità sui prodotti RIO**

#### Camargue Fixscreen

A partire da oggi, il modello Camargue Fixscreen può essere ordinato su RIO con Tuffscreen fino a 6 m di larghezza libera.

#### Ordini in sospeso di tende per esterni

Le tende potranno essere nuovamente ordinate su RIO a partire dal 24/04/2026.

#### Ordini in sospeso di lamelle standard

A partire dal 24/04/2026, sarà nuovamente possibile ordinare su RIO anche le lamelle standard per le guide diritte dei modelli Algarve e Camargue.

[Torna all'indice](#)

**03.2026 – Spese di trasporto del Servizio Outdoor**

Desideriamo ricordarvi che, a partire da gennaio 2026, al Servizio Outdoor a pagamento si applicano le stesse tariffe di trasporto previste per il reparto Vendite.

[Torna all'indice](#)

### 03.2026 – Perché un caso di assistenza?

In qualità di tecnici, preferiamo risolvere i problemi immediatamente. Ciò è possibile solo quando si dispone di tutti i ricambi.

Grazie a un **fascicolo di assistenza complementare** o a un **set standard di ricambi**, si evitano spostamenti aggiuntivi, modifiche alla programmazione e perdite di tempo presso la sede del cliente.



### Come funziona esattamente?

Ogni volta che sostituisci un pezzo presso la sede di un cliente, devi creare un **ordine o una richiesta di intervento** in RIO per il progetto del cliente. Il pezzo utilizzato viene riordinato automaticamente e la cronologia rimane corretta.

--> L'ordine originale è ancora in garanzia?

Allora riceverai un pezzo in garanzia. Non appena riceveremo il pezzo difettoso, ti verrà rimborsato l'importo.

--> La garanzia è scaduta?

Allora riceverai un pezzo a pagamento. La garanzia del nuovo pezzo decorre dalla data della fattura. In questo modo, la tua amministrazione e il monitoraggio della garanzia rimangono chiari, e la tua cassetta di servizio rimane completamente rifornita.

### Per quanto tempo un pezzo può rimanere nella mia auto?

Non c'è alcun problema. Un ricambio può rimanere nel tuo kit di assistenza più a lungo; **non** perde la garanzia. La garanzia decorre solo una volta che il ricambio viene installato definitivamente presso la sede del cliente.

### Richiedi facilmente il tuo kit di assistenza tramite questi codici articolo su RIO:

Ricambi IO: 6357

Ricambi RTS: 261

Ricambi RTS USA: 263

[Torna all'indice](#)

## **02.2026 - Gamma di colori: modifica delle polveri Tiger**

Tiger ha trasferito diverse polveri opache della **serie 29 di TIGER Drylac** alla nuova **serie 18 di TIGER Drylac FlexCURE**. I prodotti della serie 18 sono **totalmente compatibili** con quelli della serie 29; **il colore, la brillantezza e le proprietà tecniche rimangono invariati**.

Per le polveri trasferite alla serie 18, i **codici delle polveri** nei nostri sistemi interni e nella piattaforma RIO cambieranno. **Solo le ultime cinque cifre del codice rimarranno invariate**.

Il seguente elenco offre una panoramica dei vecchi codici della serie 29 e dei nuovi codici corrispondenti della serie 18, in modo da poterli confrontare facilmente ed elaborarli nei vostri sistemi.

**Le modifiche entreranno in vigore a partire dal 2 marzo 2026.**

[Lista de códigos de polvo](#)



[Torna all'indice](#)

## 02.2026 - Novità: pannelli CosySound

Buone notizie! Abbiamo ampliato la nostra gamma con nuovi pannelli acustici che combinano perfettamente estetica e funzionalità.

Insieme ai nostri partner NOA, **PETAC** e **2TEC2**, abbiamo creato dei pannelli che combinano ingegnosamente design e comfort. Garantiscono un'acustica morbida e piacevole nel vostro spazio esterno e conferiscono al vostro progetto un aspetto premium.

Questi pannelli acustici sono uno dei **prodotti aggiuntivi** che offriamo tramite partner esterni. Ti offrono maggiore libertà per completare il tuo progetto con più atmosfera, colore e materiali di alta qualità.




## Cosa è importante dal PDF:

### What makes these panels unique?

- Sustainable PETAC core
- Made from recycled PET fibres
- Thickness: 24 mm
- Colour: Silver (grey)
- Weight: 3000 g/m<sup>2</sup>
- Sound absorption coefficient (see image)

### Sound Absorption Coefficient in function of frequency

PETAC® 24mm 3000g/m<sup>2</sup> – on frame of 50mm / 100mm (pressed together to 50 mm) insulation (polyesterwool) –  $\alpha_w$ -value of 1,00



➤ Exclusive 2TEC2 finish

Laminated 2TEC2 fabric available in three finishes. These colours were previously showcased in our Amani in the showroom and during Salone del Mobile 2025.



*Deep Wood*



*Delicate Beige*



*Antique Bronze*

### Dimensions and packaging

- Standard format: 590 mm x 2750 mm
- Delivered per set of 2 pieces
- No custom sizing available
- Other 2TEC2 colours are not available

### Ordering via RIO

Search for “CosySound panels” or use these article numbers:

- CosySound panelen – Deep Wood – art. 36827
- CosySound panelen – Antique Bronze – art. 37053
- CosySound panelen – Delicate Beige – art. 37052

All products offered through external parties are subject to a **separate price and discount structure**. The discount for these panels is **10%**. We deliberately offer these products through RIO so that you can easily combine everything **in one order and one delivery**. This keeps things clear and creates space for us to offer even more additional options in the same way in the future.

Watch the video with the processing instructions via [this link](#)

[Torna all'indice](#)

### **01.2026 - Change in standard colours**

From 2026, we will be updating our standard colours. As a result, **two Shop-in-Shop colours will be removed from the standard colour group:**

- AE30017702420 - RAL 7024 - GRAPHITE GREY Polyester Architectural AE
- AE70018720125 - RAL 8014 - SEPIA BROWN Polyester Architectural AE

Both the **colour guide** and **RIO** will be updated shortly. As always, you can easily find them on our Professional Portal. We kindly ask you to take this change into account when placing future orders.

[Torna all'indice](#)

### 01.2026 – New: Algarve power socket

Good news! From now on, you can also install a **power socket** in the **Algarve**. Until now, this feature was only available for Amani and Camargue, but that is about to change!

A handy upgrade for those who want to add extra comfort and ease of use.

More info via [this link](#).



[Torna all'indice](#)

**01.2026 – Outdoor Curtains**

In our December newsletter, we announced that the Outdoor curtains would be available for Torna all'indice order starting in January. Due to some technical challenges, the launch has unfortunately not yet taken place, but we are working on it and will keep you updated as soon as a new date is confirmed.

[Torna all'indice](#)

## **01.2026 - Simplified returns process**

Since January 2025, you no longer need to send returns yourself. Until now, our service department always requested sizes, weights and contact details to book your return with DHL. FeedTorna all'indice showed us that this caused extra administration and delays — something we naturally want to avoid.

That is why we are switching to **one standard return address and fixed return details**. To ensure everything is processed correctly, we kindly request that you complete the form via [this link](#).

This will enable us to streamline the returns process considerably — for both you and us. The current returns policy remains unchanged:

### **What is important from the PDF:**

#### **Renson Service Return Policy**

At Renson, we may ask customers to return certain defective parts for further analysis or additional processing. This analysis allows us to determine warranty eligibility accurately and decide whether a credit note will be issued or a replacement part will be provided.

To facilitate this process, we will send you a return label, which must be clearly affixed to the outside of the package containing the material being returned. The package should be properly packaged for safe transit. This return label is essential for the process to run smoothly.

Please note the following:

- **No credit note will be issued for goods that are not returned correctly.**
- **No credit note will be issued for goods returned in error, without a return label, or with an incorrect return label.**

#### **Steps to complete a return:**

1. Initiate the return process:

- Renson will create a return label and initiate the return process via DHL.
- The customer must attach the return label to the outside of the package and book a pickup time using the link provided via email.
- For detailed instructions on using the DHL link, [click here](#)

2. Return the defective goods:

- Defective goods can be returned free of charge within their warranty period, as long as the DHL link is used within **89 days**.
- If the pickup is not arranged within 89 days using the provided link, the customer will need to arrange the return at **their own expense**.

3. Return period:

- Returns will be accepted up to a **maximum of 9 months** from the date the return label is created.

4. Warranty conditions:

- If the defect is determined to be caused by customer error, external factors, or incorrect use, the warranty will no longer apply.
- If the returned goods are found to be in working order and not defective, no warranty coverage will be provided.

If you have any questions about this process, please contact us for assistance.

[Torna all'indice](#)

## NEWSLETTERS 2025

### 12.2025 - UPDATE ON GLASS SLIDING PANELS

Since the launch, we have continuously improved our glass sliding walls – thanks in part to your valuable feedback, for which we are very grateful! From January onwards, we will be able to offer a complete **one-stop-shop** alternative that can easily compete with rival solutions.

*What can you expect?*

- **Perfect alignment:** each panel comes standard with a handy system for easy vertical alignment.
- **Smart locking:** multiple sliding doors in one canopy? From now on, you can lock all handles with cylinder locks using one and the same key.
- **Additional glass option:** in addition to transparent and frosted glass, we are also introducing a stylish smoked version from January onwards.
- **Price reduction:** more quality for less: we are reducing the price per panel, thereby strengthening our market position and giving you every opportunity to use Renson for your glass wall too Renson for your glass wall too!

Our Product Managers explain everything in detail in the short [video](#) below (10 min.). Click on the link and discover how we can make your outdoor projects even more stylish and user-friendly.

#### *Product information*

Our glass sliding doors meet the quality criteria set out in European standard EN 1279-1:2018.

For all technical details such as the technical data sheet, installation manual, price list, etc., please refer to the **Professional Portal**, where you can easily consult all updated documents.

We also have a short video showing the new [vertical alignment](#) in action – a handy tool that demonstrates how easy this system is to use.

[Torna all'indice](#)

## 12.2025 – Outdoor Curtains – Torna all'indice-orders

Good news! From 1st January 2026, you will also be able to easily place reorders for outdoor blinds in RIO:

**Buitengordijnen**

[Bekijk details](#)

**CONFIGUREER**

**Rideaux extérieurs**

[Voir les détails](#)

**CONFIGURER**

**Outdoor Curtains**

[View details](#)

**CONFIGURE**

**Outdoor Vorhänge**

[Details anzeigen](#)

**KONFIGURIEREN**

[Torna all'indice](#)

## 12.2025 - 'Winter is coming'

Winter is just around the corner, which means it's time to make your patio cover winter-proof. With a few simple precautions, you can prevent damage and extend the life of your installation:

- **Frost:** Do not close the slats completely! If the slats freeze together, damage may occur during operation.
- **Snow:** In heavy snowfall, place the slats of the roof in a vertical position to avoid overloading the roof.
- **Fixscreen:** Roll up the screens so that they do not get damaged or dirty.
- **Sliding glass panels or Loggia:** Open the side panels so that the canopy remains as open as possible. This prevents both the panels and the canopy from catching too much wind.

**Do you have any questions?** Feel free to call us, we are happy to give you personal advice!

[Torna all'indice](#)

### 11.2025 - Discontinuation: Axalta AE03107070320

From **14 November 2025**, Axalta powder **AE03107070320** is **no longer be available** in the **RIO Outdoor catalogue**. We have determined that this powder causes “clouding”, resulting in a finish that does not meet the desired quality standards.



### Alternative: Tiger 067/80045

As an alternative, we offer the **Tiger powder 067/80045 (DB703)** as standard. This powder has a similar colour with only a minimal visual difference and provides a more attractive, consistent finish thanks to its QualiCoat Class 2 properties.



### Practical information:

- In **RIO**, you will no longer be able to select the old Axalta powder during your Outdoor configuration. When selecting this powder code, a warning will appear with a reference to the new Tiger variant 067/80045 - TIGER DB703.
- This Tiger variant is currently a non-standard powder, but will of course be used for your Outdoor configurations at **no extra cost**. From 1 January 2026, this will officially become a standard powder.
- Given the minimal visual colour difference, the **SNS** and **TOP20 samples** will continue to be based on the old powder for the time being, but will also be adjusted in the future.

[Torna all'indice](#)

**09.2025 - New product videos available now**

We've created new videos for Camargue, Algarve, Aero and Carport, showcasing the unique strengths of each product in a clear and visually appealing way.

These [USP videos](#) are perfect for use in your communication - both online and in your showroom.

[Torna all'indice](#)

## 09.2025 - Product updates Aero & Algarve

We are delighted to inform you about some important product updates within our Outdoor product range. In this newsletter, you will discover:

- Updates to the **Aero & Algarve**, with improvements that enhance both design and functionality.


All the necessary information about these innovations is clearly summarised below. This will ensure that you are fully informed and ready to provide your customers with the best possible advice.

We are pleased to announce that these updates will also be applied to all new Aero orders **from 24 October** onwards.

### [Link Webinar](#)

#### **Customised profile with extra lip**

When integrating an Aero, an optional **customised base profile with an extra lip** is available. This extra lip serves as a wall connection profile and significantly simplifies the watertight connection between the Aero and the surrounding structure. This makes a separate seal completely unnecessary, even under the motor.



### [Torna all'indice](#)

## 08.2025 - Update powder colour codes

### *IGP Powders*

Supplier IGP is replacing all powders starting with powder code '58' with a 98-99% identical powder that will start with powder code '56'. Powder codes starting with '58' will remain available while stocks last. After that, the switch to the new '56' powder codes will take place. Unless used side by side, an untrained eye will not be able to see any difference at all.

### *Tiger Powders*

Powder manufacturer TIGER is replacing

- all powders from their 'Drylac® Series 68 fine structure' by the new 'Drylac® Series 67 Flexcure fine structure'.
- all powders from 'Drylac® Series 29 mat' by the new 'Drylac® Series 18 Flexcure mat'.

Therefore, powder codes beginning with '068' will be changed to '067' and those beginning with '029' will be changed to '018' on RIO.

This change has some consequences for the powder coating process, but does not influence colour, structure or gloss, and it neither makes any difference in terms of natural weathering.

**Important note: Powder code 029/72362 is no longer available.**

### **List of involved A-powders:**

| Old powder code | Description                          | Renson powder category | New powder code |
|-----------------|--------------------------------------|------------------------|-----------------|
| 068/10079       | Fine texture traffic white           | A2T                    | 067/10079       |
| 068/10259       | RAL 9010 fine texture                | A2T                    | 067/10259       |
| 068/70190       | Anthracite grey fine texture         | A2T                    | 067/70190       |
| 068/71291       | RAL 7039 matt fine texture           | A3T                    | 067/71291       |
| 068/71752       | RAL 8019 TC fine structure matt      | A2T                    | 067/71752       |
| 068/71764       | RAL 7021 TC fine texture matt        | A2T                    | 067/71764       |
| 068/80057       | RAL 9004 fine texture matt           | A2T                    | 067/80057       |
| 068/80296       | Ral 9011 fine texture matt           | A2T                    | 067/80296       |
| 068/80381       | 9005TC Carbon 01 fine structure matt | A2T                    | 067/80381       |
| 029/73570       | Tiger RAL7016 matt                   | A2MG                   | 018/73570       |

### [Torna all'indice](#)

## 06.2025 - Updates glass sliding panels

During the Ambassador Days in February, we introduced you to the latest developments for our glass sliding panels. And now the time has come: from 1 July, we will add 2 new options to the RIO configuration! These innovative upgrades provide even more flexibility and ease of use.

### What is important from the PDF:

#### Handle with cylinder lock

- Ergonomic locking of sliding glass wall: the lock is integrated into the handle, allowing the panel to be locked at hand height.
- The handle is made of cast aluminum and painted to match the colour of the canopy.
- Includes a built-in cylinder lock with three security pins, lockable from both the inside and outside. Each lock comes with three keys.
- For a single sliding glass panel, a recess in the glass ensures a clean close against the side profile. The locking plate can be easily installed in the profile and adjusted to the correct height.
- For double sliding glass walls, one panel features a handle with a cylinder lock, and the other has a handle with a locking plate. By default, the handle with the cylinder lock is mounted on the right panel (as seen from the outside). This setup can be reversed on site if preferred.
- When selecting this locking handle, bottom locking in the glass profile is not available.





## Slope profile

- Aluminum extrusion profile, powder-coated in the same colour as the canopy.



- The slope profile allows for level horizontal installation of the bottom rail of the sliding glass wall on a sloped terrace.
- The U-shaped profile features raised ribs for easy positioning of the bottom rail profiles. Extruded marking lines indicate where to drill. The profile must be supported at the fastening points using shims. Fixing materials are not included and should be selected based on the substrate type.



- Available in three widths, 66 mm - 86 mm - 106 mm and corresponding to bottom rails with 3, 4, or 5 tracks. Maximum profile length is 6 meters.
- You enter the exact slope to accommodate in RIO (up to a maximum of 60 mm), and we mill the profile accordingly. If a slope profile is selected, the height of the glass wall equals the headroom minus 5 mm.

More details are available in the price list, product sheet, technical drawings, and installation manual— all of which have been updated with the latest features and are accessible on the Professional Portal. Always refer to the most recent version online. Be sure to also review the help texts in RIO during configuration or ordering.

[Torna all'indice](#)

### **06.2025 - Loggia Privacy: adjustable damper**

The adjustable damper for Loggia Privacy was also enthusiastically received at Ambassador Days. The knobless control to manually infinitely rotate the slats is therefore updated.

What is new? For orders from 1 July, the internal damper, which ensures the right resistance, can be easily adjusted with an Allen key. The screws for this are discreetly concealed on the inside of the frame, both at the bottom and at the top. This allows you and the end customer to determine the desired resistance, and the customer can tighten or loosen the slats over time if necessary.



[Torna all'indice](#)

## **06.2025 - Update user manual Outdoor Loggia**

In order to clarify the correct operation of our Outdoor Loggia panels, we have added QR codes to the Amani, Camargue and Algarve user manuals referring to short, clear videos. So be sure to always consult the latest versions on the Professional Portal.

What will you find in the videos?

- Correct operation of the position lock - [video](#)
- Sliding the privacy panels - [video](#)
- Opening & closing the privacy blades using the button - [video](#)

Be sure to go through these instructions with the end user to ensure smooth and correct operation of the Loggia panels.

[Torna all'indice](#)

**06.2025 - Indoor colour guide: Powder code SA021E (former AE80019164421)**

Because of an error in our data, a wrong number (AE80019164421), was linked to our A2MG powder **SA021E** (Interpon D1036 - HOLLANDS WIT 9010 - Smooth Gloss).

So, in all orders where AE80019164421 was asked till now, we delivered the (similar) powder SA021E.

**UPDATES:**

- The powder code AE80019164421 was changed into SA021E, as well in RIO as in our online colour guides.
- There will be no change of delivered colour. Only the code is corrected.
- Code AE80019164421 is no longer available in RIO.

**Indoor color guide: Replacement powder codes 068**

Powder producing company TIGER is replacing all powders from their 'Drylac® Series 68 fine structure' by the new 'Drylac® Series 67 Flexcure fine structure'. This change has some consequences for the powder coating process, but **does not influence colour, structure or gloss**, and it neither makes any difference in terms of natural weathering.

Powder codes starting with '068' will start with '067' on RIO from 07/07/2025.

List of involved A-powders:


| Old powder code | Description                          | Renson powder category | New powder code |
|-----------------|--------------------------------------|------------------------|-----------------|
| 068/10079       | Fine texture Traffic White           | A2T                    | 067/10079       |
| 068/10259       | RAL 9010 Fine texture                | A2T                    | 067/10259       |
| 068/70190       | Anthracite grey fine texture         | A2T                    | 067/70190       |
| 068/71291       | RAL 7039 Matt Fine Texture           | A3T                    | 067/71291       |
| 068/71752       | RAL 8019 TC Fine structure matt      | A2T                    | 067/71752       |
| 068/71764       | RAL 7021 TC fine texture matt        | A2T                    | 067/71764       |
| 068/80057       | RAL 9004 Fine texture Matt           | A2T                    | 067/80057       |
| 068/80296       | RAL 9011 Fine texture Matt           | A2T                    | 067/80296       |
| 068/80381       | 9005TC Carbon 01 fine structure matt | A2T                    | 067/80381       |

[Torna all'indice](#)

## 05.2025 - Shop-In-Shop: wrong colour sample RAL 8014

### Structural paint RAL 8014 versus Sepia Brown

In last October's monthly update, we already mentioned that the powder belonging to the RAL plate labelled 'RAL8014' (the STR version) does not technically follow RAL color standards. Hence, the name in the color guide was changed to Sepia Brown.

|                                                                                   |          |                                                  |
|-----------------------------------------------------------------------------------|----------|--------------------------------------------------|
|  | RAL 8014 | Fine Texture RAL 8014 Polyester Architectural AE |
|  | n/a      | <u>Sepia Brown Fine texture Metallic</u>         |

**Friendly reminder.** please double check your Shop-In-Shop color swatches and module! If these color plates still state 'RAL 8014', we recommend that you immediately change the designation on the RAL plate to 'Sepia Brown', or order new color swatches Sepia Brown (powder code 029/60740) from RIO, which show the new designation. This way, deliveries with the wrong color can be avoided.



*RAL 8014*  
*Fine Texture RAL 8014*  
*Polyester Architectural AE*  
*Axalta AE03058801420*



*Sepia Brown*  
*Sepia Brown*  
*Fine texture Metallic*  
*Tiger 029/60740*



[Torna all'indice](#)

## 05.2025 - Algarve Storage Room in RIO

Good news! Algarve Storage Room will be visible on RIO as a separate product from 1 June 2025. This makes the configuration very easy! You can choose the walls directly, as part of the construction. They no longer need to be configured as separate order lines.

What standard configurations will be possible on RIO?

1. Single storage room
2. 2-part coupled on span side (storage room + patio cover)
3. 2-part coupled on pivot side (storage room + patio cover)



Of course, the storage room is always finished with a fixed roof.

You now also have the additional choice of whether or not you want to finish the bottom of the roof with canvas fabric.

*The adjacent picture shows the bottom of the fixed roof without a canvas cover.*

For the 2-part coupled type, the 2nd roof section (D2) is always the storage room with a fixed roof. The other roof section (D1) can be freely chosen with rotating blades or with a fixed roof. The infills in this roof section can also be chosen freely.

[Torna all'indice](#)

### **05.2025 - New: Renson Carport at NOA**

A recent update at the NOA Experience park in Belgium is the integration of a Renson Carport. The 21 m<sup>2</sup> carport is mounted to the façade of 'the city' for an optimal use of space & design.

Discover more about the carport via:

[Aluminium carport](#) | [Modern and stylish](#) | [Renson](#)



[Torna all'indice](#)

## 04.2025 - Color Guide

Twenty-seven new powders were added to the A powder series. These powders are now in stock and surcharges have been reduced to apply the powders.

Most of the powders are Qualicoat Class 2 powders and have superior UV resistance, the best quality and no extra cost.

| Powder Code   | Internal Renson Colour Code | Description                                                        | Powder supplier | Powdergroup since 09/04/2025 |
|---------------|-----------------------------|--------------------------------------------------------------------|-----------------|------------------------------|
| AE13008107227 | STR 0302                    | Fine texture Taupe Matt Polyester Architectural AE                 | Axalta          | A3T                          |
| AE03001139627 | STR 0291                    | Fine texture Hornschuh F436-6039 Yellow Polyester Architectural AE | Axalta          | A3T                          |
| AE03007394827 | STR 0390                    | Fine texture EF 154-0533 Grey Polyester Architectural AE           | Axalta          | A3T                          |
| SD030C1210827 | STR 0782                    | Fine Texture WTM BEIGE Superdurable Architectural SD               | Axalta          | A3T                          |
| YN304F        | STR 0809                    | RAL 9004 HR - Fine textured                                        | AkzoNobel       | A2T                          |
| YN305F        | STR 0284                    | RAL 9005 Matt Fine Texture                                         | AkzoNobel       | A3T                          |
| YN311F        | STR 0810                    | RAL 9011 HR - Fine textured                                        | AkzoNobel       | A2T                          |
| YL321F        | STR 0503                    | RAL 7021 Matt HR Fine Texture                                      | AkzoNobel       | A2T                          |
| SD300C7701620 | V9001116                    | Superdurable Architectural SD Matt RAL 7016 ANTHRACITE GREY        | Axalta          | A2MG                         |
| SD300C7702120 | V9001524                    | Superdurable Architectural SD Matt RAL 7021 BLACK GREY             | Axalta          | A3MG                         |
| SD300C7700620 | V9002385                    | Superdurable Architectural SD Matt RAL 7006 BEIGE GREY             | Axalta          | A2MG                         |
| SD300C7702220 | V9001825                    | Superdurable Architectural SD Matt RAL 7022 UMBRA GREY             | Axalta          | A3MG                         |
| SD300C7703520 | V9001586                    | Superdurable Architectural SD Matt RAL 7035 LIGHT GREY             | Axalta          | A3MG                         |
| SD300C8801420 | V9002386                    | Superdurable Architectural SD Matt RAL 8014 SEPIA BROWN            | Axalta          | A2MG                         |
| SD300C9901620 | V9000959                    | Superdurable Architectural SD Matt RAL 9016 TRAFFIC WHITE          | Axalta          | A2MG                         |
| SD301C7900621 | V9002384                    | Superdurable Architectural SD Matt CONCRETE TOUCH "9006"           | Axalta          | A3MG                         |
| SD301C7900721 | V9001753                    | Superdurable Architectural SD Matt RAL 9007 GREY ALUMINIUM         | Axalta          | A3MG                         |
| SD700C4900520 | V9002124                    | Superdurable Architectural SD Semi Gloss RAL 9005 JET BLACK        | Axalta          | A2MG                         |
| SD700C7703820 | V9002390                    | RAL 7038 Satin gloss                                               | Axalta          | A2MG                         |
| SD700C7703020 | V9002392                    | RAL 7030 Satin gloss                                               | Axalta          | A2MG                         |
| SD700C7703920 | V9002389                    | Superdurable Architectural SD Semi Gloss RAL 7039 QUARTZ GREY      | Axalta          | A2MG                         |
| SD700C7701620 | V9001622                    | Superdurable Architectural SD Semi Gloss RAL 7016 ANTHRACITE GREY  | Axalta          | A2MG                         |
| SD700C7702220 | V9002388                    | Superdurable Architectural SD Semi Gloss RAL 7022 UMBRA GREY       | Axalta          | A2MG                         |
| SD700C7702120 | V9001980                    | Superdurable Architectural SD Semi Gloss RAL 7021 BLACK GREY       | Axalta          | A2MG                         |
| SD700C9901620 | V9001587                    | Superdurable Architectural SD Semi Gloss RAL 9016 TRAFFIC WHITE    | Axalta          | A2MG                         |
| SD700C7703520 | V9002391                    | Superdurable Architectural SD Semi Gloss RAL 7035 LIGHT GREY       | Axalta          | A2MG                         |
| SD700C9901020 | V9001823                    | Superdurable Architectural SD Semi Gloss RAL 9010 PURE WHITE       | Axalta          | A2MG                         |

[Torna all'indice](#)

## 02.2025 - Garanzia Outdoor: nuova procedura di registrazione

Buone notizie! A partire da gennaio 2025, la procedura di registrazione per la garanzia di una copertura per patio è stata notevolmente semplificata.

### Cosa c'è di nuovo?


Il cliente finale deve comunque registrare la propria copertura tramite il modulo di contatto online sul nostro sito web: <https://renson.net/qrcode/warranty>. È stata aggiunta un'ulteriore selezione per verificare se si tratta di una copertura per terrazza del 2024 o del 2025.

- *Ordini del 2024:* qui la vecchia procedura è ancora attiva e riceverai un codice voucher per un set di manutenzione gratuito.
- *Ordini dal 2025:* non è più necessario alcun codice voucher! Il set di manutenzione viene automaticamente incluso nella copertura per patio durante l'installazione.

### WARRANTY REGISTRATION

|                                                                                                                              |                                                 |
|------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| <input type="text" value="First name*"/>                                                                                     | <input type="text" value="Name*"/>              |
| <input type="text" value="Postal code*"/>                                                                                    | <input type="text" value="Town/city*"/>         |
| <input type="text" value="Belgium"/>                                                                                         | <input type="text" value="Email address*"/>     |
| <small>We will use this e-mail address to confirm your registration</small>                                                  |                                                 |
| <b>When was the patio cover ordered?*</b>                                                                                    |                                                 |
| <input checked="" type="radio"/> 2024                                                                                        |                                                 |
| <input type="radio"/> 2025                                                                                                   |                                                 |
| <input type="text" value="Purchased via*"/>                                                                                  | <input type="text" value="Installation date*"/> |
| <input type="text" value="Warranty number*"/>                                                                                |                                                 |
| <small>Size: 1234567890_001000</small>                                                                                       |                                                 |
| <input type="checkbox"/> I'm not a robot  |                                                 |
| <input type="button" value="Send"/>                                                                                          |                                                 |

- Il cliente finale riceverà anche un'e-mail di conferma dopo la registrazione avvenuta con successo.



[Torna all'indice](#)

## **02.2025 - Algarve Fixscreen: ordini arretrati**

Nella prima settimana di marzo amplieremo i nostri configuratori di riordino. Da quel momento in poi, sarà possibile configurare facilmente anche l'Algarve Fixscreen come riordino nel catalogo RIO Outdoor.



[Torna all'indice](#)

## **02.2025 - Renson Service return policy**

With some defective parts we ask you to return them so that we can carry out further analysis or additional processing on them. On this basis we can then determine the warranty correctly and decide whether a credit note can be issued or a new part can be delivered.

To enable a smooth processing of these returns, we ask you to please read the **Renson Service return policy** below thoroughly and follow it for any returns.

### **What is important from the PDF:**

#### **Renson Service Return Policy**

At Renson, we may ask customers to return certain defective parts for further analysis or additional processing. This analysis allows us to determine warranty eligibility accurately and decide whether a credit note will be issued or a replacement part will be provided.

To facilitate this process, we will send you a return label, which must be clearly affixed to the outside of the package containing the material being returned. The package should be properly packaged for safe transit. This return label is essential for the process to run smoothly.

Please note the following:

- **No credit note will be issued for goods that are not returned correctly.**
- **No credit note will be issued for goods returned in error, without a return label, or with an incorrect return label.**

#### **Steps to complete a return:**

5. Initiate the return process:

- Renson will create a return label and initiate the return process via DHL.
- The customer must attach the return label to the outside of the package and book a pickup time using the link provided via email.
- For detailed instructions on using the DHL link, [click here](#)

6. Return the defective goods:

- Defective goods can be returned free of charge within their warranty period, as long as the DHL link is used within **89 days**.

- If the pickup is not arranged within 89 days using the provided link, the customer will need to arrange the return at **their own expense**.

7. Return period:

- Returns will be accepted up to a **maximum of 9 months** from the date the return label is created.

8. Warranty conditions:

- If the defect is determined to be caused by customer error, external factors, or incorrect use, the warranty will no longer apply.
- If the returned goods are found to be in working order and not defective, no warranty coverage will be provided.

If you have any questions about this process, please contact us for assistance.

[Torna all'indice](#)

## 01.2025 - Color guide 2025

New color guide 2025 online!

The following powders were added to the group of A powders. This expands the group of A powders to 292 powders.


|          |               |                                     |        |
|----------|---------------|-------------------------------------|--------|
| RAL 1002 | AE70011960525 | AXALTA RAL1002 SEMI GLOSS           | GLOSSY |
| RAL 5015 | AE70015400225 | AXALTA RAL5015 SEMI GLOSS           | GLOSSY |
| RAL 5001 | AE70015820125 | AXALTA RAL5001 SEMI GLOSS           | GLOSSY |
| RAL 6012 | AE70016870225 | AXALTA RAL6012 SEMI GLOSS           | GLOSSY |
| RAL 7003 | AE70017520125 | AXALTA RAL7003 SEMI GLOSS           | GLOSSY |
| RAL 8011 | AE70018510125 | AXALTA RAL8011 SEMI GLOSS           | GLOSSY |
| V9001557 | AE70011102020 | AXALTA RAL1020 SEMI GLOSS           | GLOSSY |
| V9001559 | AE70013300720 | AXALTA RAL3007 SEMI GLOSS           | GLOSSY |
| RAL 5008 | AE70017830125 | AXALTA - RAL5008 SATIN              | GLOSSY |
| RAL 6021 | AE70016170725 | AXALTA - RAL6021 SATIN              | GLOSSY |
| V9001672 | SLJ09G        | AKZO INTERPON D1036 RAL7009         | GLOSSY |
| V9001733 | AE70018800020 | AXALTA RAL8000 SEMI GLOSS           | GLOSSY |
| RAL 3005 | AE70013860325 | AXALTA RAL3005 SEMI GLOSS           | GLOSSY |
| RAL 9017 | AE70014900725 | AXALTA RAL9017 GLOSSY TRAFFIC BLACK | GLOSSY |
| RAL 6028 | AE70016720325 | AXALTA RAL6028 SEMI GLOSS           | GLOSSY |
| RAL 7046 | AE70017370125 | AXALTA RAL7046 SEMI GLOSS           | GLOSSY |
| RAL 8001 | AE70018120225 | AXALTA RAL8001 SEMI GLOSS           | GLOSSY |
| RAL 8004 | AE70018210125 | AXALTA RAL8004 SEMI GLOSS           | GLOSSY |
| RAL 3004 | AE70013720125 | AXALTA RAL3004 SATIN                | GLOSSY |
| V9001862 | AE70013301620 | AXALTA RAL3016 CORAL RED            | GLOSSY |

### Color Selection RIO Outdoor Catalog

In order to order the desired color in Outdoor orders smoothly and correctly on RIO, the color selection was divided into 4 categories:

- Outdoor Top 20 colors: these are all color swatches from the Outdoor Top 20 swatch range
- Shop in Shop colors: these are all the color swatches from the Shop in Shop module
- Standard colors: these are all the colors mentioned in the color guide
- Non-standard colors

If you have determined the color from the physical color swatches, choose the color swatch category in RIO to ensure the correct color.




The screenshot shows the 'Colours' selection interface in the RIO Outdoor Catalog. On the left is a dark blue sidebar with a vertical list of menu items, each preceded by a green checkmark: STRUCTURE, CONSTRUCTION, COMFORT PACK, DESIGN STYLES, SIDE INFILLS, COMFORT, 7 STYLING (highlighted), TECHNICAL SPECS, and 9 OVERVIEW. Under the 'STYLING' section, 'Colours' is selected, and 'Type of fabrics' is also visible. The main content area is titled 'Colours' with the subtitle 'Set the colours for your product'. It features a section 'Color structure and columns' with the label 'Colour type of the structure and the columns'. Below this are three radio buttons: 'Textured' (selected), 'Glossy', and 'Matt'. Further down is a 'Colour category' section with four selectable options: 'Outdoor Top 20 colours' (highlighted with a blue border), 'Shop in Shop colours', 'Standard colours (see colour guide)', and 'Non-standard colours'. At the bottom, there is a 'Colour code frame (optional)' field with a text input box and a small icon to its right.

Furthermore, the designation approx. RAL xxxx (for paints that approximate a RAL color) was removed from the description, this to avoid wrong choices. The Outdoor color guide of 2025 has been updated and can always be downloaded via the **Professional Portal**.

[Torna all'indice](#)

## 01.2025 - RIO help texts

We like to remind you again of the importance of the help texts on RIO, which can give more clarification about your configuration. For example, if you configure Outdoor Loggias to size and do not specify any sliding hardware, you will only order the panel (without sliding hardware). Then you will still have to provide all the sliding fittings (rails, roller systems, stoppers...) yourself. So always consult the question mark for the necessary additional explanations during your order.




[Torna all'indice](#)

## 01.2025 - Order separate profiles from price list

As of February 1st it will be possible to order standard profiles, as included in the Outdoor pricelist (p.53), on RIO. These profiles are immediately painted in the color of the canopy and delivered together. This allows you to finish your project quickly, easily and beautifully.

Standard aluminium profiles

CONFIGURE



The screenshot shows the 'Dimensions' configuration step in the Renson RIO system. On the left is a dark blue sidebar with three menu items: '1 DIMENSIONS' (selected), '2 STYLE', and '3 OVERVIEW'. The main content area is titled 'Dimensions' with the subtitle 'Set the dimensions for your product'. Below this, under the heading 'Aluminium profile - type', there are seven selectable options, each with a 3D profile image and a label: 'Tube', 'L-profile', 'Flat profile', 'Round tube', 'Rod', 'T-profile', and 'U-Profile'. At the bottom, there is a text input field labeled 'Length (min. 200 - max. 5000)' with the placeholder text 'Enter the length' and a unit dropdown menu currently set to 'mm'.

[Torna all'indice](#)

## NEWSLETTERS 2024

### 12.2024 - Outdoor warranty 2025

From 2025, the different warranty periods per patio cover, accessory or component will be simplified. The product warranty on Lapure will change from 5 years to 10 years. Thus, all patio covers from Amani to Lapure will have the same 10-year product warranty.

The warranty on Somfy sensors is 5 years. Adhesion, color and gloss of the paint also receive a 10-year warranty. **Thus, from 2025, we are talking about a 10-year general product and paint warranty after registration.**

### Product information: General information & warranty

The registration process is also greatly simplified.

The end customer will still receive 1 free Maintenance Set. This is no longer done via a voucher code, but the Maintenance Set is now automatically delivered with the roofing. The cumbersome procedure for you as a Renson Ambassador/distributor disappears completely. Only the end customer is expected to register via a contact form on our website.

### [Torna all'indice](#)

## 12.2024 – Outdoor Loggia: product updates

Higher Loggia panels possible as of January 1, 2025!

By applying internal reinforcement, we can now offer panel heights of all Loggia types up to and including 3000mm. So even with maximum passage height of 2800mm, Loggias in front of the beam (Zone A) can now be offered from Amani.





### ***Loggia Privacy: rotating the blades***

The Loggia Privacy blades can be rotated separately in two zones: above and below the fixed blade. This can be done in two ways from January 1, 2025:

#### 1. The well-known button operation

This is always located on the inside of the covering. On the button you will find an indication of which field you are operating. Press the correct place on the button and turn a blade until they are in the desired position. The blade can be placed in 5 positions.



## 2. New: variation with knobless operation

The blades can simply be rotated manually and steplessly. An internal damper provides the necessary resistance. The advantage is that you can also rotate the blades from outside the enclosure and leave them in any desired position.

*As a reminder*, the blades must always be closed before the panels can be moved.

**[Product information: Outdoor Loggia®](#)**

**[Torna all'indice](#)**


## 12.2024 – Algarve storage wall:

### Shortened delivery period

The delivery period of the Algarve disposal wall has been shortened from 16 weeks to 10 weeks. This has been made possible by a first phase in the automation of the production process. In the next few months we will implement additional automation, which will enable us to shorten the delivery time even further.

### New extended product information sheet

The product information sheet of the Algarve Canvas Storage Room Wall has been extended with more details. A number of frequently requested configurations with storage have been added and the RIO input is described in more detail. You can download the product information sheet below or find it on the [Renson Professional Portal](#).



### [Video: Installation Algarve Canvas Storage Room Wall](#)

### [Torna all'indice](#)

## **11.2024 - Customized Solutions**

Something new is coming... A Renson elaboration that pushes boundaries, transforms ideas and inspires you to think big. **Curious? Keep an eye on the newsletter on 19 December!**

[Torna all'indice](#)

### **10.2024 - Packaging: guidelines for preventing sun damage**

To prevent damage to the products, we would like to remind you of the importance of never leaving the boxes in direct sunlight. In addition, it is also a good idea to keep the profiles wrapped in bubble wrap out of full sunlight. This could cause the bubble wrap to burn into the paint. You can recognize the possible consequences of this in the images below.



[Torna all'indice](#)

## **09.2024 - Standard colours**

In addition to the colour guide, there is now also a handy colour chart in which you have an overview of the Top 20 and Shop in Shop colours at a glance. In addition to the RAL colour, this colour chart also lists the powder code.

In RIO, you will find different powder codes for one RAL colour. If you wish to order a Top 20 or Shop in Shop colour, make sure you have selected the correct powder code when ordering in RIO.

The [colour chart](#) is provided digitally so that you always have the most recent version available.

[Torna all'indice](#)

## **05.2024 - Benefits of an Outdoor Service Case**

Easily order your **Outdoor Service Case** via RIO and ensure your installers are always prepared. The case includes motors, controllers, sensors, screws, and more. When you purchase a service case, you immediately enjoy numerous benefits:

- Increased customer satisfaction
- Immediate availability of spare parts
- Fast and efficient on-site assistance
- Fewer trips Torna all'indice to the yard
- No overdue invoices from end customers

[Torna all'indice](#)

#### **04.2024 - Loggia Linea**

The **Loggia Linea** can be ordered in RIO from 1 May as an integration in Algarve (Canvas), Camargue (Skye) or separately as a reorder.

The vertical rectangular blades are available in aluminium (powder-coated or wooddesign version) or in thermo-ayous wood.

The clean design of the vertical lines is further enhanced thanks to the ingenious concept of the transverse joint. The latter ensures that the spacing between the vertical blades or between the blades and the frame always remains the same.

The Loggia Linea infill follows the same pricing as Loggia Paro and Loggia Plano.

**Marketing:** When the POS material was updated last year, you already received a sample of this to add to the Shop-in-Shop Loggia display.



[Torna all'indice](#)

#### **04.2024 - Loggia (Double) Canvas**

Our Outdoor canvas range is further expanded with the new **Loggia (Double) Canvas** fabrics, which will be orderable on RIO from 1 May.

These new canvases will be offered at the same price.

Together with our NOA partner 2TEC2, we have developed a matching canvas for the Loggia (Double) Canvas for each of our design styles. These canvases are slightly coarser in structure and therefore look more natural and cosy. Their durable materials and high UV resistance guarantee a long life. Moreover, the canvases are easily washable for a long-lasting stylish look. Of course, they can also be ordered separately from the design styles.



The new **Outdoor Loggia (Double) Canvas** collection consists of the following colours:

- Delicate Beige matching Pure Essence
- Crystal Teal matching Crystal Lounge
- Desert Rock matching Earth Oasis
- Deep Wood matching Spiritual Harmony
- Antique Bronze matching Idyllic Garden
- Soft Coral matching Tech Cocoon

**Marketing:** The accompanying sample folder of these fabrics was already sent in autumn 2023.

[Torna all'indice](#)

#### **04.2024 - Use of the colour guide**

To avoid misunderstandings or wrong colours on delivery, we would like to remind you of our colour guide and how to use it correctly when entering a final colour in RIO.

- The colours in **bold** in the colour guide are equal to the **TOP 20** Renson Outdoor colours.
- The underlined colours correspond to the colours present in the Outdoor Shop-in-Shop display.

In the last column you can find the exact powder code corresponding to each colour. As always, you can easily consult the colour guide via our [Professional Portal](#).

[Torna all'indice](#)

## **02.2024 - Outdoor curtains**

We're excited to introduce six new curtain fabrics from the Lumis collection! These modern fabrics are weather-resistant and crafted entirely from 100% PP, available at the same pricing as our existing collection. Orders for these new fabrics can be placed starting today through RIO.

Additionally, we'd like to inform you that the four Lounge fabrics (in black, white, beige, and gray) have been discontinued.



[Torna all'indice](#)


## 02.2024 - Glass sliding wall

You can now place orders for glass walls exceeding 102 in/ 2600 mm in height through RIO. In the canopy configuration, heights can go up to 2800 mm, and for subsequent orders, depending on the configuration, heights can reach up to 3000 mm.



Additionally, you have the option to select broader glass panels, reducing the number of panels required for specific wall widths. Given that pricing is determined per panel, this change offers an instant cost benefit.

The selection of available panels is determined based on the sliding direction, along with the height and width of the glass wall.



[Torna all'indice](#)