



PRODUCT UPDATES & COMMUNICATION

LIGHTING

NEWSLETTERS 2026

- 03.2026 - Tariffa oraria dei tecnici
- 03.2026 – Spese di trasporto del Servizio Outdoor
- 03.2026 – Perché un caso di assistenza?
- 01.2026 - Simplified returns process

NEWSLETTERS 2025

- 12.2025 - 'WINTER IS COMING'
- 10.2025 - Camargue & Algarve Demo Cases
- 02.2025 - Garanzia Outdoor: nuova procedura di registrazione
- 02.2025 - Renson Service return policy
- 01.2025 - RIO help texts
- 01.2025 - Order separate profiles from price list

NEWSLETTERS 2024

- 12.2024 - Outdoor warranty 2025
- 10.2024 - Packaging: guidelines for preventing sun damage
- 09.2024 – Camargue: Extension cable for Lineo led
- 05.2024 - Benefits of an Outdoor Service Case

NEWSLETTERS 2026

03.2026 - Tariffa oraria dei tecnici

Per continuare a garantire la nostra qualità e mantenere il nostro servizio ai massimi livelli, abbiamo adeguato la tariffa oraria dei nostri tecnici. La nuova tariffa è di **65,00 € all'ora**, anziché 56,50 €.

Questo adeguamento ci aiuta a continuare a investire in tecnici ben preparati, attrezzature moderne e un servizio su cui potete contare sia oggi che in futuro.

[Torna all'indice](#)

03.2026 – Spese di trasporto del Servizio Outdoor

Desideriamo ricordarvi che, a partire da gennaio 2026, al Servizio Outdoor a pagamento si applicano le stesse tariffe di trasporto previste per il reparto Vendite.

[Torna all'indice](#)

03.2026 – Perché un caso di assistenza?

In qualità di tecnici, preferiamo risolvere i problemi immediatamente. Ciò è possibile solo quando si dispone di tutti i ricambi.

Grazie a un **fascicolo di assistenza complementare** o a un **set standard di ricambi**, si evitano spostamenti aggiuntivi, modifiche alla programmazione e perdite di tempo presso la sede del cliente.



Come funziona esattamente?

Ogni volta che sostituisci un pezzo presso la sede di un cliente, devi creare un **ordine o una richiesta di intervento** in RIO per il progetto del cliente. Il pezzo utilizzato viene riordinato automaticamente e la cronologia rimane corretta.

--> L'ordine originale è ancora in garanzia?

Allora riceverai un pezzo in garanzia. Non appena riceveremo il pezzo difettoso, ti verrà rimborsato l'importo.

--> La garanzia è scaduta?

Allora riceverai un pezzo a pagamento. La garanzia del nuovo pezzo decorre dalla data della fattura. In questo modo, la tua amministrazione e il monitoraggio della garanzia rimangono chiari, e la tua cassetta di servizio rimane completamente rifornita.

Per quanto tempo un pezzo può rimanere nella mia auto?

Non c'è alcun problema. Un ricambio può rimanere nel tuo kit di assistenza più a lungo; **non** perde la garanzia. La garanzia decorre solo una volta che il ricambio viene installato definitivamente presso la sede del cliente.

Richiedi facilmente il tuo kit di assistenza tramite questi codici articolo su RIO:

Ricambi IO: 6357

Ricambi RTS: 261

Ricambi RTS USA: 263

[Torna all'indice](#)

01.2026 - Simplified returns process

Since January 2025, you no longer need to send returns yourself. Until now, our service department always requested sizes, weights and contact details to book your return with DHL. FeedTorna all'indice showed us that this caused extra administration and delays — something we naturally want to avoid.

That is why we are switching to **one standard return address and fixed return details**. To ensure everything is processed correctly, we kindly request that you complete the form via [this link](#).

This will enable us to streamline the returns process considerably — for both you and us. The current returns policy remains unchanged:

What is important from the PDF:

Renson Service Return Policy

At Renson, we may ask customers to return certain defective parts for further analysis or additional processing. This analysis allows us to determine warranty eligibility accurately and decide whether a credit note will be issued or a replacement part will be provided.

To facilitate this process, we will send you a return label, which must be clearly affixed to the outside of the package containing the material being returned. The package should be properly packaged for safe transit. This return label is essential for the process to run smoothly.

Please note the following:

- **No credit note will be issued for goods that are not returned correctly.**
- **No credit note will be issued for goods returned in error, without a return label, or with an incorrect return label.**

Steps to complete a return:

1. Initiate the return process:

- Renson will create a return label and initiate the return process via DHL.
- The customer must attach the return label to the outside of the package and book a pickup time using the link provided via email.
- For detailed instructions on using the DHL link, [click here](#)

2. Return the defective goods:

- Defective goods can be returned free of charge within their warranty period, as long as the DHL link is used within **89 days**.
- If the pickup is not arranged within 89 days using the provided link, the customer will need to arrange the return at **their own expense**.

3. Return period:

- Returns will be accepted up to a **maximum of 9 months** from the date the return label is created.

4. Warranty conditions:

- If the defect is determined to be caused by customer error, external factors, or incorrect use, the warranty will no longer apply.
- If the returned goods are found to be in working order and not defective, no warranty coverage will be provided.

If you have any questions about this process, please contact us for assistance.

[Torna all'indice](#)

NEWSLETTERS 2025

12.2025 - 'WINTER IS COMING'

Winter is just around the corner, which means it's time to make your patio cover winter-proof. With a few simple precautions, you can prevent damage and extend the life of your installation:

- **Frost:** Do not close the slats completely! If the slats freeze together, damage may occur during operation.
- **Snow:** In heavy snowfall, place the slats of the roof in a vertical position to avoid overloading the roof.
- **Fixscreen:** Roll up the screens so that they do not get damaged or dirty.
- **Sliding glass panels or Loggia:** Open the side panels so that the canopy remains as open as possible. This prevents both the panels and the canopy from catching too much wind.

Do you have any questions? Feel free to call us, we are happy to give you personal advice!

[Torna all'indice](#)

10.2025 - Camargue & Algarve Demo Cases


The **demo cases** for our **Camargue** and **Algarve** models are now available with an updated look and feel. This update gives them a modern and professional appearance, in line with our current branding and presentation. Important to note: the contents of the cases remain unchanged, so even if you already have an existing case, you will still be perfectly equipped.



Would you like to receive the new version?

Simply order it now in the usual way on RIO.

Camargue®


Camargue® USP's

28 m²
150 l/m².u
160 kWh

EN: 1. Dairing system profile (screens) / 2. Corner finishing profile / 3. Colomno LED / 4. Roof edge profile / 5. Side cover / 6. Top cover / 7. Water drainage gutter / 8. Up/Down LED / 9. Blade
NL: 1. Dairingsprofiel (screens) / 2. Hoekafwerkingsprofiel / 3. Colomno LED / 4. Dakrandprofiel / 5. Afdekcap zijkant / 6. Afdekcap bovenkant / 7. Watergoot / 8. Up/Down LED / 9. Lamel
FR: 1. Coutisses latérales (screens) / 2. Profil de finition d'angle / 3. Colomno LED / 4. Profil de bord de toiture / 5. Profil de recouvrement latéral / 6. Profil de recouvrement supérieur / 7. Gouttière / 8. Up/Down LED / 9. Lame
DE: 1. Führungssprofiel (Screens) / 2. Eckabschlussprofil / 3. Colomno LED / 4. Dachrandprofil / 5. Abdeckkappe Seite / 6. Abdeckkappe Oberseite / 7. Wasserabflussrinne / 8. Up/Down LED / 9. Lamelle
ES: 1. Perfil del sistema de guía (screens) / 2. Perfil de acabado de las esquinas / 3. Colomno LED / 4. Perfil del borde del techo / 5. Tapa lateral / 6. Tapa superior / 7. Canal de agua / 8. Up/Down LED / 9. Lama
IT: 1. Profilo del sistema di guida (screens) / 2. Profilo di finitura angolare / 3. Colomno LED / 4. Profilo del bordo del tetto / 5. Copertura laterale / 6. Copertura superiore / 7. Canale di scolo / 8. LED Up/Down / 9. Lama

Camargue demo case – Order number: 2002072

Algarve®

Algarve® USP's

27 m²
120 l/m².u
120 kWh

EN: 1. Column with invisible screws / 2. Span-Pivot beam with integrated water gutter / 3. Blade / 4. Lineo LED
NL: 1. Kolom met onzichtbare schroeven / 2. Span-Pivot balk met geïntegreerde watergoot / 3. Lamel / 4. Lineo LED
FR: 1. Colomne avec des vis invisibles / 2. Poutre Span-Pivot avec gouttière intégrée / 3. Lama / 4. Lineo LED
DE: 1. Pfosten mit unsichtbar verbauten Schrauben / 2. Span-Pivot-Träger mit integrierter Wasserabflussrinne / 3. Lamelle / 4. Lineo LED
ES: 1. Columna con tornillos invisibles / 2. Perfiles Span-Pivot con canalización de agua integrada / 3. Lama / 4. Lineo LED
IT: 1. Columna con viti invisibili / 2. Trave Span-Pivot con grondaia integrata / 3. Lama / 4. Lineo LED

Algarve demo case – Order number: 2002073

[Torna all'indice](#)

02.2025 - Garanzia Outdoor: nuova procedura di registrazione

Buone notizie! A partire da gennaio 2025, la procedura di registrazione per la garanzia di una copertura per patio è stata notevolmente semplificata.

Cosa c'è di nuovo?

Il cliente finale deve comunque registrare la propria copertura tramite il modulo di contatto online sul nostro sito web: <https://renson.net/qrcode/warranty>. È stata aggiunta un'ulteriore selezione per verificare se si tratta di una copertura per terrazza del 2024 o del 2025.

- *Ordini del 2024*: qui la vecchia procedura è ancora attiva e riceverai un codice voucher per un set di manutenzione gratuito.
- *Ordini dal 2025*: non è più necessario alcun codice voucher! Il set di manutenzione viene automaticamente incluso nella copertura per patio durante l'installazione.

WARRANTY REGISTRATION

First name*

Postal code*

Belgium ▼

When was the patio cover ordered?*

☒ 2024

☐ 2025

Purchased via*

Warranty number*

Size: 1234567890_001000

☐ I'm not a robot

Name*

Town/city*


Email address*

We will use this e-mail address to confirm your registration

Installation date*

[Send](#)

- Il cliente finale riceverà anche un'e-mail di conferma dopo la registrazione avvenuta con successo.



[Torna all'indice](#)

02.2025 - Renson Service return policy

With some defective parts we ask you to return them so that we can carry out further analysis or additional processing on them. On this basis we can then determine the warranty correctly and decide whether a credit note can be issued or a new part can be delivered.

To enable a smooth processing of these returns, we ask you to please read the **Renson Service return policy** below thoroughly and follow it for any returns.

What is important from the PDF:

Renson Service Return Policy

At Renson, we may ask customers to return certain defective parts for further analysis or additional processing. This analysis allows us to determine warranty eligibility accurately and decide whether a credit note will be issued or a replacement part will be provided.

To facilitate this process, we will send you a return label, which must be clearly affixed to the outside of the package containing the material being returned. The package should be properly packaged for safe transit. This return label is essential for the process to run smoothly.

Please note the following:

- **No credit note will be issued for goods that are not returned correctly.**
- **No credit note will be issued for goods returned in error, without a return label, or with an incorrect return label.**

Steps to complete a return:

5. Initiate the return process:

- Renson will create a return label and initiate the return process via DHL.
- The customer must attach the return label to the outside of the package and book a pickup time using the link provided via email.
- For detailed instructions on using the DHL link, [click here](#)

6. Return the defective goods:

- Defective goods can be returned free of charge within their warranty period, as long as the DHL link is used within **89 days**.

- If the pickup is not arranged within 89 days using the provided link, the customer will need to arrange the return at **their own expense**.

7. Return period:

- Returns will be accepted up to a **maximum of 9 months** from the date the return label is created.

8. Warranty conditions:


- If the defect is determined to be caused by customer error, external factors, or incorrect use, the warranty will no longer apply.
- If the returned goods are found to be in working order and not defective, no warranty coverage will be provided.

If you have any questions about this process, please contact us for assistance.

[Torna all'indice](#)

01.2025 - RIO help texts

We like to remind you again of the importance of the help texts on RIO, which can give more clarification about your configuration. For example, if you configure Outdoor Loggias to size and do not specify any sliding hardware, you will only order the panel (without sliding hardware). Then you will still have to provide all the sliding fittings (rails, roller systems, stoppers...) yourself. So always consult the question mark for the necessary additional explanations during your order.




[Torna all'indice](#)

01.2025 - Order separate profiles from price list

As of February 1st it will be possible to order standard profiles, as included in the Outdoor pricelist (p.53), on RIO. These profiles are immediately painted in the color of the canopy and delivered together. This allows you to finish your project quickly, easily and beautifully.

Standard aluminium profiles

CONFIGURE



The screenshot shows the 'Dimensions' configuration step in the Renson RIO system. On the left is a dark blue sidebar with three menu items: '1 DIMENSIONS' (highlighted), '2 STYLELINE', and '3 OVERVIEW'. The main content area is titled 'Dimensions' with the subtitle 'Set the dimensions for your product'. Below this, under the heading 'Aluminium profile - type', there are seven selectable options, each with a 3D model icon and a label: 'Tube', 'L-profile', 'Flat profile', 'Round tube', 'Rod', 'T-profile', and 'U-Profile'. At the bottom, there is a text input field labeled 'Length (min. 200 - max. 5000)' with the placeholder text 'Enter the length' and a unit dropdown menu currently set to 'mm'.

[Torna all'indice](#)

NEWSLETTERS 2024

12.2024 - Outdoor warranty 2025

From 2025, the different warranty periods per patio cover, accessory or component will be simplified. The product warranty on Lapure will change from 5 years to 10 years. Thus, all patio covers from Amani to Lapure will have the same 10-year product warranty.

The warranty on Somfy sensors is 5 years. Adhesion, color and gloss of the paint also receive a 10-year warranty. **Thus, from 2025, we are talking about a 10-year general product and paint warranty after registration.**

Product information: General information & warranty

The registration process is also greatly simplified.

The end customer will still receive 1 free Maintenance Set. This is no longer done via a voucher code, but the Maintenance Set is now automatically delivered with the roofing. The cumbersome procedure for you as a Renson Ambassador/distributor disappears completely. Only the end customer is expected to register via a contact form on our website.

[Torna all'indice](#)

10.2024 - Packaging: guidelines for preventing sun damage

To prevent damage to the products, we would like to remind you of the importance of never leaving the boxes in direct sunlight. In addition, it is also a good idea to keep the profiles wrapped in bubble wrap out of full sunlight. This could cause the bubble wrap to burn into the paint. You can recognize the possible consequences of this in the images below.



[Torna all'indice](#)

09.2024 – Camargue: Extension cable for Lineo led

When a Camargue is built with the pivot against the wall, in some cases during installation one wants to move the controls to the tension beam. This is to avoid having to detach the top cover on the wall in case of any intervention.

The optional waterproof wall seal allows easy removal of the top cover on the wall without having to cut the wall seal.

If the installer does opt to move the controls to the tension beam, the 3m cable to the Lineo LED may be too short in some cases. Therefore, for Camargue configurations with pivot to the wall and in combination with Lineo-Led, we have added an additional question in Rio. You now have the option to add additional Led extension cables immediately.

[Torna all'indice](#)

05.2024 - Benefits of an Outdoor Service Case

Easily order your **Outdoor Service Case** via RIO and ensure your installers are always prepared. The case includes motors, controllers, sensors, screws, and more. When you purchase a service case, you immediately enjoy numerous benefits:

- Increased customer satisfaction
- Immediate availability of spare parts
- Fast and efficient on-site assistance
- Fewer trips Torna all'indice to the yard
- No overdue invoices from end customers

[Torna all'indice](#)