


# TOPFIX<sup>®</sup> LARGE


HORIZONTAL FABRIC SUN PROTECTION



# TOPFIX® LARGE



Topfix Large is the latest addition to the horizontal sun protection range. Just like Topfix Max, it offers a windproof solution for skylights, rooflights and other horizontal or sloping glass surfaces up to 30 m<sup>2</sup>. However, with simpler installation, lower weight, a more affordable price and a solar-powered version, it raises the bar even higher in other areas. The Fixscreen technology also guarantees a taut fabric and wind resistance for the Large, but the integrated tensioning technology has been updated.



Design	Topfix®	Topfix® Large <span style="background-color: #004a99; color: white; padding: 2px;">NEW</span>		Topfix® Max	
Headbox size (HxD)	105 mm x 100 mm	150 mm x 195 mm		260 mm x 202 mm	
Side guiding channels (WxD)	58 mm x 48 mm	60 mm x 75 mm		69,5 mm x 84,5 mm	
Bottom rail dimensions (WxH)	90 mm x 50 mm	100 mm x 62 mm		140 mm x 74 mm	
<b>Afmetingen</b>					
Fabrics	Soltis 86/92 Sunworker (Top) Soltis B92, W96	Soltis 86/92 Sattler Twilight Comfort Sunworker (Top) Soltis B92, W96		Soltis 86/92 Sunworker (Top) Soltis B92, W96	
Max. width	4000 mm	5000 mm	6000 mm	5000 mm	6000 mm
Max. projection	3000 mm	6000 mm	5000 mm	6000 mm	5000 mm
Max. Surface	12 m <sup>2</sup>	30 m <sup>2</sup>		30 m <sup>2</sup>	
Wind resistance	120 km/h	120 km/h *		120 km/h	
<b>Installation options</b>					
Outdoor installation	✓	✓		✓	
Indoor installation	✓	✓		-	
Installation method	Head box at the top, bottom or sideways	Head box at the top or bottom		Head box at the top or bottom	
Mounting feet	✓	✓		✓	
Interlinked	✓	✓		✓	
Freestanding	-	-		✓	
<b>Installation and service</b>					
Tension technology	Cord	Single-band		Band	
Motor replacement	Standard	Easy		Complex	
<b>Control</b>					
Somfy mechanical motor	✓	✓		✓	
Somfy io radio-controlled motor	✓	✓		✓	
Solar variant	✓	✓		-	
Rensonmotor, mechanical 24V (for Topfix VMS)	✓	-		-	

\* Certification pending

More info





All photos shown are for illustration purposes only and are solely an indication of a usage situation. The actual product may vary due to adjustments to the product. Renson reserves the right to make technical modifications to the products shown. The latest brochures can be downloaded from [renson.net](http://renson.net)