

TECHNICAL DATA

	Small
Design	
Box size (H x D)	115 x 90 mm
Square	✓
Bottom bar retractable	-
Wind resistance	
Wind class EN13561:2004	3
Guaranteed wind resistance	Up to 130 km/h in closed position
Control	
Somfy radio-controlled motor	✓



DIMENSIONS

		Small	
Dimensions single screen			
Fibre glass fabric Sergé / Natté / Privacy	Min. width Somfy radio-controlled motor	750 mm	
	Max. width	4000 mm	3200 mm
Tuffscreen mosquito mesh	Max. height	2500 mm	3000 mm
	Max. surface	10 m²	9,6 m²
Satiné 21154 blackout fibre glass fabric	Min. width Somfy radio-controlled motor	750 mm	
	Max. width	3200 mm	
	Max. height	2500 mm	
	Max. surface	8 m²	



Note:

- Screens are always motorized.
 - 2 screens can be linked to one another (box next to box - 1 motor/screen).
- Dimensions for a single screen also apply for a linked screen with a maximum total combined width of 10.000 mm.


DURABILITY

Technology	
Fixscreen-technology	✓
Smooth-technology	✓
Fixscreen Minimal Connect&Go-technology	✓
Click&Safe-technology	✓
Certificates	
Declaration of Performance [DoP]	DOP-2016SC00006
Wind tunnel test report	WTT22-001
Warranty	
10 year warranty on coating of aluminium profiles	✓
7 year warranty on Fixscreen Technology	✓
7-year warranty for electronic controls (motor, solar cell, battery & automation)	✓
5-year product warranty	✓
5-year warranty on fabric collection	✓
5-year warranty on gloss level	✓



NOT SURE WHETHER TO GO FOR SOLAR-POWERED RENSON® EXTERNAL SUN PROTECTION SCREENS?



The Somfy Solar app enables you to see which Solar solutions might be suitable, in advance and in a specific environment. The app is available for free in the App Store and via Google Play.



TECHNICAL DRAWINGS



Viewing direction determines selection option cable feed left or right

← Direction in which fabric set can be removed

