


TOEPASSINGSMATRIX FIXSCREEN MINIMAL MS 7 ZIJGELEIDERS VOOR RAAMMONTAGE

Op basis van volgende matrix begeleidt Renson u naar het meest geschikte* type zijgeleider voor uw toepassing.

Voor de Fixscreen Minimal biedt Renson twee zijgeleider types aan voor de bevestiging op het raamkader, het type .WF en .WS. De naam verwijst naar de manier van montage op het raamkader, hetzij frontaal (Front) = W.F, hetzij zijdelings (Side) = .WS.



Voor de .WS (Windows Side) zijgeleider is de bestelbreedte van de screen = bestelbreedte raam. Om eventuele tolerantie van het raam en de screen ten alle tijden op te kunnen vangen, is de positie van de flens 2 mm naar buiten verschoven. Hierdoor zal de combinatie altijd slagen. Standaard levert Renson isolerende afstandshouders uit, voor eventuele overmaat.

* Renson adviseert de meest geschikte oplossing, andere combinaties kunnen mogelijk zijn (bv. met de XS geleider).


		FIXSCREEN MINIMAL SMALL				FIXSCREEN MINIMAL MEDIUM						FIXSCREEN MINIMAL MEDIUM				FIXSCREEN MINIMAL LARGE													
Voor exacte afmetingen zie Rensan prijslijst en brochure																													
						Extra centrale borging vereist vanaf een breedte > 3600 mm						Extra centrale borging vereist vanaf een breedte > 3600 mm				Extra centrale borging vereist vanaf een breedte > 3600 mm													
		MS 7A		MS 7A + C.40		MS 7B		MS 7A		MS 7A + C.40		MS 7B		MS 7A + Basis kast		MS 7B + Basis kast		MS 7B + C.F		MS 7B + C.F + Basis kast		MS 7A		MS 7A + C.40		MS 7B			
		MS 7A S.WF	MS 7A S.WS	MS 7A S.WF	MS 7A S.WS	MS 7B S.WF	MS 7B S.WS	MS 7A M.WF	MS 7A M.WS	MS 7A M.WF	MS 7A M.WS	MS 7B M.WF	MS 7B M.WS	MS 7A M.WF+	MS 7A M.WS+	MS 7B M.WF+	MS 7B M.WS+	MS 7B M.WF	MS 7B M.WS	MS 7B M.WF+	MS 7B M.WS+	MS 7A L.WF	MS 7A L.WS	MS 7A L.WF	MS 7A L.WS	MS 7B L.WF	MS 7B L.WS		
STAP 1	STAP 2	STAP 3												STAP 3															
Vast raam	Binnen beglazing	✓* 1	✓ 2	✓* 3	✓ 4	✓* 5	✓ 6	✓* 7	✓ 8	✓* 9	✓ 10	✓* 11	✓ 12	✓** 13	✓ 14	✓** 15	✓ 16	✓* 17	✓ 18	✓** 19	✓ 20	✓* 21	✓ 22	✓* 23	✓ 24	✓* 25	✓ 26		
	Buiten beglazing	-	✓ 27	-	✓ 28	-	✓ 29	-	✓ 30	-	✓ 31	-	✓ 32	-	✓ 33	-	✓ 34	-	✓ 35	-	✓ 36	-	✓ 37	-	✓ 38	-	✓ 39		
Draai kiepraam	Geen hor	✓* 40	✓ 41	✓* 42	✓ 43	✓* 44	✓ 45	✓* 46	✓ 47	✓* 48	✓ 49	✓* 50	✓ 51	✓** 52	✓ 53	✓** 54	✓ 55	✓* 56	✓ 57	✓** 58	✓ 59	✓* 60	✓ 61	✓* 62	✓ 63	✓* 64	✓ 65		
	Hor < 12 mm dikte	✓* 66	✓ 67	✓* 68	✓ 69	✓* 70	✓ 71	✓* 72	✓ 73	✓* 74	✓ 75	✓* 76	✓ 77	✓** 78	✓ 79	✓** 80	✓ 81	✓* 82	✓ 83	✓** 84	✓ 85	✓* 86	✓ 87	✓* 88	✓ 89	✓* 90	✓ 91		
	Hor > 12 mm dikte	-	-	-	-	✓* 92	✓ 93	-	-	-	-	✓* 94	✓ 95	✓** 96	✓ 97	✓** 98	✓ 99	✓* 100	✓ 101	✓** 102	✓ 103	-	-	-	-	✓* 104	✓ 105		
[Hef B] Schuifraam	Vlak schuifraam binnen	-	✓ 106	-	✓ 107	-	✓ 108	-	✓ 109	-	✓ 110	-	✓ 111	-	✓ 112	-	✓ 113	-	✓ 114	-	✓ 115	-	✓ 116	-	✓ 117	-	✓ 118		
	Vlak schuifraam buiten - Klink buiten < 10 mm	-	✓ 119	-	-	-	✓ 120	-	✓ 121	-	-	-	✓ 122	-	✓ 123	-	✓ 124	-	✓ 125	-	✓ 126	-	✓ 127	-	-	-	✓ 128		
	Hor < 20 mm dikte	-	-	-	-	-	✓ 129	-	-	-	-	-	✓ 130	-	✓ 131	-	✓ 132	-	-	-	✓ 133	-	-	-	-	-	✓ 134		
	Hor > 20 mm < 40 mm dikte	-	-	-	-	-	-	-	-	-	-	-	✓ 135	-	✓ 136	-	✓ 137	-	-	-	✓ 138	-	-	-	-	-	✓ 139		
	Verstevigingsprofiel ≤ 40 mm	-	-	-	-	-	-	-	-	-	-	-	-	-	✓ 140	-	✓ 141	-	-	-	✓ 142	-	-	-	-	-	-		
	Verstevigingsprofiel > 40 mm ≤ 50 mm	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓ 143	-	-	-	✓ 144	-	-	-	-	-	-		
Minimalis-tisch raam	Verstevigingsprofiel ≤ 40 mm	-	-	-	-	-	-	-	-	-	-	-	-	✓** 145	-	✓** 146	-	-	-	✓** 147	-	-	-	-	-	-	-		
	Verstevigingsprofiel > 40 mm ≤ 50 mm	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓** 148	-	-	-	✓** 149	-	-	-	-	-	-	-		

* Aandacht: schroef gebied = 30 mm buiten de kast.

** Aandacht: schroef gebied = 50 mm buiten de kast en de basis kast.

Hoe deze matrix gebruiken?

Stap 1: Toegepast type raam




Stap 2: Eventuele extra's / uitdikkingen

Stap 3: Geschikte montage situatie en geleidertype.
Kies kast type in functie van benodigde oppervlakte.


Opgelet: Combinaties met Invisivent® rooster, ongeacht type raam
→ MS 7B en .WS geleider.

Fixed window - Internal glazing






M7A S.WF


Width



Width



Fixed window - Internal glazing




M7A S.WS




RENSON
Creating healthy spaces

2


Width



Width




Width




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.

Fixed window - Internal glazing



M7A S.WF & C.40




Fixed window - Internal glazing






4

RENSON
Creating healthy spaces






M7A S.WF & C.40




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.




3 and more screens,
cannot be connected


Fixed window - Internal glazing



M7B S.WF



Fixed window - Internal glazing




M7B S.WS




RENSON
Creating healthy spaces

6




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.



Width


Fixed window - Internal glazing




RENSON
Creating healthy spaces

*
7

M7A M.WF





Fixed window - Internal glazing



8



RENSON
Creating healthy spaces

M7A M.WS




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück


0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.




Fixed window - Internal glazing



M7A M.WF & C.40






Fixed window - Internal glazing



10






M7A M.WS & C.40




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.




 3 and more screens,
cannot be connected


Fixed window - Internal glazing




M7B M.WF



Fixed window - Internal glazing



M7B M.WS






- Renson isolerende afstandshouder 0-1-2-3-4-...mm.
- Renson piece de remplissage isolee 0-1-2-3-4-...mm.
- Renson insulating filling piece 0-1-2-3-4-...mm.
- Renson Isolierendes Füllstück 0-1-2-3-4-...mm.




Fixed window - Internal glazing



M7A M.WF+







Fixed window - Internal glazing



14


RENSON
Creating healthy spaces

M7A M.WS+



Renson isolerende afstandhouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück




0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.




Fixed window - Internal glazing



M7B M.WF+







Fixed window - Internal glazing



16


RENSON
Creating healthy spaces

M7B M.WS+




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.



Fixed window - Internal glazing











M7B M.WF & C.F.

Width


Width

Width



✗ 4 and more screens cannot be connected, max. 3 screens




Fixed window - Internal glazing




18

RENSON
Creating healthy spaces

M7B M.WS & C.F.




✗ 4 and more screens cannot be connected,
max. 3 screens



Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück





0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.




Fixed window - Internal glazing




M7B M.WF+ & C.F.



❌ 4 and more screens cannot be connected,
max. 3 screens









Fixed window - Internal glazing



20

RENSON
Creating healthy spaces


M7B M.WS+ & C.F.




⊗ 4 and more screens cannot be connected,
max. 3 screens

Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstueck


0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.




Fixed window - Internal glazing



M7A L.WF




Fixed window - Internal glazing




22




M7A L.WS




Fixed window - Internal glazing



M7A L.WF & C.40








Fixed window - Internal glazing




24

RENSON
Creating healthy spaces

M7A L.WS & C.40




3 and more screens,
cannot be connected




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück


0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.




Fixed window - Internal glazing



M7B L.WF







Fixed window - Internal glazing



26


RENSON®
Creating healthy spaces

M7B L.WS



Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Fuelleck

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.





Fixed window - External glazing



27

RENSON
Creating healthy spaces

M7A S.WS




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.





Fixed window - External glazing



28




RENSON
Creating healthy spaces

M7A S.WF & C.40





Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.




3 and more screens,
cannot be connected



Fixed window - External glazing




- Renson isolerende afstandshouder 0-1-2-3-4-...mm.
- Renson piece de remplissage isolee 0-1-2-3-4-...mm.
- Renson insulating filling piece 0-1-2-3-4-...mm.
- Renson Isolierendes Füllstück 0-1-2-3-4-...mm.






Fixed window - External glazing



Fixed window - External glazing






M7A M.WS & C.40




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.



3 and more screens,
cannot be connected


Fixed window - External glazing



32




M7B M.WS




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.







Fixed window - External glazing



33


RENSON
Creating healthy spaces

M7A M.WS+




Renson isolerende afstandhouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.







Fixed window - External glazing



34

RENSON
Creating healthy spaces

M7B M.WS+



Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.







Fixed window - External glazing




35

RENSON
Creating healthy spaces

M7B M.WS & C.F.





⊗ 4 and more screens cannot be connected,
max. 3 screens




Renson isolerende afstandhouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Fuelleueck

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.







Fixed window - External glazing




36

RENSON
Creating healthy spaces

M7B M.WS+ & C.F.





⊗ 4 and more screens cannot be connected,
max. 3 screens




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Fuelleueck



0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.



Fixed window - External glazing



M7A L.WS




Renson isolerende afstandshouder
 Renson piece de remplissage isolee
 Renson insulating filling piece
 Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.







Fixed window - External glazing




38

RENSON
Creating healthy spaces

M7A L.WS & C.40



3 and more screens,
cannot be connected




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Fuelleueck



0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.



Fixed window - External glazing



M7B L.WS




Renson isolerende afstandshouder
 Renson piece de remplissage isolee
 Renson insulating filling piece
 Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.




Turn and tilt window

- Standard





M7A S.WF



Turn and tilt window


- Standard



Renson isolerende afstandhouder
 Renson piece de remplissage isolee
 Renson insulating filling piece
 Renson Isolierendes Füllstück







0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.

Turn and tilt window



M7A S.WF & C.40


- Standard






 3 and more screens,
cannot be connected

Turn and tilt window

Standard






M7A S.WF & C.40



Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück


0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.






3 and more screens,
cannot be connected

Turn and tilt window

- Standard







M7B S.WF




Turn and tilt window

Standard




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.






Turn and tilt window

- Standard





M7A M.WF




Turn and tilt window

- Standard









Turn and tilt window

- Standard




M7A M.WF & C.40








❌ 3 and more screens,
cannot be connected

Turn and tilt window


- Standard



M7A M.WS & C.40





3 and more screens,
cannot be connected




Renson isolerende afstandhouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.





Turn and tilt window





M7B M.WF

- Standard




Turn and tilt window

- Standard





Turn and tilt window

- Standard




M7A M.WF+



Turn and tilt window

- Standard





M7A M.WS+




53

RENSON
Creating healthy spaces




Turn and tilt window

– Standard




M7B M.WF+



Turn and tilt window

– Standard




M7B M.WS+




55

RENSON
Creating healthy spaces








Turn and tilt window



Standard


M7B M.WF & C.F.






4 and more screens cannot be connected,
 max. 3 screens

Turn and tilt window


Standard



M7B M.WS & C.F.





⊗ 4 and more screens cannot be connected,
max. 3 screens



Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstueck

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.








Turn and tilt window

- Standard




M7B M.WF+ & C.F.



 4 and more screens cannot be connected,
max. 3 screens

Turn and tilt window

- Standard







M7B M.WS+ & C.F.



59


RENSON
Creating healthy spaces



4 and more screens cannot be connected,
max. 3 screens




Turn and tilt window

- Standard




Width

M7A L.WF




Width




Turn and tilt window

- Standard



M7A L.WS




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Fuelleueck

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.







Turn and tilt window



- Standard


M7A L.WF & C.40








3 and more screens,
cannot be connected

Turn and tilt window

- Standard




M7A L.WS & C.40





Turn and tilt window

— Standard






M7B L.WF



Turn and tilt window


- Standard



M7B L.WS







Turn and tilt window

- Flyscreen <12mm thickness



M7A S.WF


Width



Bottom bar deflection

Turn and tilt window

- Flyscreen <12mm thickness




M7A S.WS





67

RENSON
Creating healthy spaces






Width




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.








Bottom bar deflection

Turn and tilt window



M7A S.WF & C.40


- Flyscreen <12mm thickness



❌ 3 and more screens, cannot be connected

Turn and tilt window

- Flyscreen <12mm thickness










M7A S.WF & C.40



69

RENSON
Creating healthy spaces




3 and more screens,
cannot be connected

Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Fuelleueck

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.






Turn and tilt window








M7B S.WF

- Flyscreen <12mm thickness



Turn and tilt window


- Flyscreen <12mm thickness



Renson isolerende afstandshouder 0-1-2-3-4-...mm.
Renson piece de remplissage isolee 0-1-2-3-4-...mm.
Renson insulating filling piece 0-1-2-3-4-...mm.
Renson Isolierendes Füllstück 0-1-2-3-4-...mm.








Turn and tilt window



M7A M.WF




- Flyscreen <12mm thickness




Bottom bar deflection

Turn and tilt window

- Flyscreen <12mm thickness









Turn and tilt window



- Flyscreen <12mm thickness


M7A M.WF & C.40








3 and more screens, cannot be connected

Turn and tilt window


- Flyscreen <12mm thickness



M7A M.WS & C.40




3 and more screens, cannot be connected







Renson isolerende afstandhouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Fuelleck

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.




Turn and tilt window

- Flyscreen <12mm thickness







Turn and tilt window

- Flyscreen <12mm thickness



M7B M.WS




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.








Turn and tilt window

- Flyscreen <12mm thickness




M7A M.WF+



Turn and tilt window

- Flyscreen <12mm thickness







M7A M.WS+




79

RENSON
Creating healthy spaces








Turn and tilt window

- Flyscreen <12mm thickness




M7B M.WF+







Turn and tilt window


- Flyscreen <12mm thickness



M7B M.WS+








Turn and tilt window




- Flyscreen <12mm thickness

M7B M.WF & C.F.




4 and more screens cannot be connected, max. 3 screens



Turn and tilt window

- Flyscreen <12mm thickness








M7B M.WS & C.F.




83

RENSON
Creating healthy spaces




⊗ 4 and more screens cannot be connected,
max. 3 screens



Renson isolerende afstandhouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstueck

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.



Width

20

110

25

Width

20

Width

20

Width

20

Width

20

Width

20

Width

20

Width

20

Width

20

Width

20

Width

20

Width

20

Width

20

Width

20

Width

20

Width

20

Width

20

Width

20

Width

20

Width

20

Width

20

Width

20

Width


20

Width






20

Turn and tilt window

- Flyscreen <12mm thickness




M7B M.WF+ & C.F.








4 and more screens cannot be connected,
 max. 3 screens

Turn and tilt window

- Flyscreen <12mm thickness




M7B M.WS+ & C.F.




4 and more screens cannot be connected,
max. 3 screens

Turn and tilt window




- Flyscreen <12mm thickness

M7A L.WF



Turn and tilt window



- Flyscreen <12mm thickness






M7A L.WS



87



Bottom bar deflection




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.







Turn and tilt window




- Flyscreen <12mm thickness

M7A L.WF & C.40



Turn and tilt window

- Flyscreen <12mm thickness







M7A L.WS & C.40



89


RENSON
Creating healthy spaces







3 and more screens,
cannot be connected

Turn and tilt window

- Flyscreen <12mm thickness




M7B L.WF






Turn and tilt window

- Flyscreen <12mm thickness




M7B L.W.S








Turn and tilt window

- Flyscreen >12mm thickness




M7B S.WF



Turn and tilt window

- Flyscreen >12mm thickness






M7B S.WS





93

RENSON
Creating healthy spaces




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.








Turn and tilt window

- Flyscreen >12mm thickness










M7B M.WF




Turn and tilt window

- Flyscreen >12mm thickness




Renson isolerende afstandhouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstück

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.







Turn and tilt window

- Flyscreen >12mm thickness




M7A M.WF+



Turn and tilt window

- Flyscreen >12mm thickness







M7A M.WS+




97

RENSON
Creating healthy spaces







Turn and tilt window

- Flyscreen >12mm thickness



M7B M.WF+



Turn and tilt window

- Flyscreen >12mm thickness








M7B M.WS+




99

RENSON
Creating healthy spaces








Turn and tilt window




- Flyscreen >12mm thickness

M7B M.WF & C.F.




4 and more screens cannot be connected, max. 3 screens






Turn and tilt window


- Flyscreen >12mm thickness



M7B M.WS & C.F.




⊗ 4 and more screens cannot be connected,
max. 3 screens




Renson isolerende afstandshouder
Renson piece de remplissage isolee
Renson insulating filling piece
Renson Isolierendes Füllstueck

0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.
0-1-2-3-4-...mm.








Turn and tilt window

- Flyscreen >12mm thickness




M7B M.WF+ & C.F.







4 and more screens cannot be connected,
max. 3 screens

Turn and tilt window


- Flyscreen >12mm thickness



M7B M.WS+ & C.F.







Turn and tilt window




- Flyscreen >12mm thickness

M7B L.WF







Turn and tilt window

- Flyscreen >12mm thickness




M7B L.WS




(Lift &) Sliding door

"Flush" sliding sash inside




M7A S.WS







This drawing is the property of RENSON NV and may not be copied or shown to third parties without written permission. - Renson recommends the most suitable solution, other combinations may be possible.

(Lift &) Sliding door

"Flush" sliding sash inside




M7A S.WF & C.40




3 and more screens,
cannot be connected

(Lift &) Sliding door

"Flush" sliding sash inside





M7B S.WS








(Lift &) Sliding door

"Flush" sliding sash inside



(Lift &) Sliding door


"Flush" sliding sash inside




3 and more screens,
cannot be connected

(Lift &) Sliding door

"Flush" sliding sash inside




M7B M.WS




(Lift &) Sliding door

"Flush" sliding sash inside




M7A M.WS+




(Lift &) Sliding door

"Flush" sliding sash inside




M7B M.WS+






(Lift &) Sliding door

"Flush" sliding sash inside



M7B M.WS & C.F.



1	2
┌	+



1	2	3
+	┌	+



1	2	3	4
┌	+	+	+




4 screens cannot be connected,
max. 3 screens







This drawing is the property of RENSON NV and may not be copied or shown to third parties without written permission. - Renson recommends the most suitable solution, other combinations may be possible.

(Lift &) Sliding door

"Flush" sliding sash inside




M7B M.WS+ & C.F.





(Lift &) Sliding door

"Flush" sliding sash inside




M7A L.WS





(Lift &) Sliding door

"Flush" sliding sash inside



M7A LWS & C.40



1	2
↖	+






1	2	3
+	↖	+



3 and more screens cannot be connected.

(Lift &) Sliding door


"Flush" sliding sash inside





(Lift &) Sliding door

"Flush" sliding sash outside

Grip outside < 10mm




M7A S.WS




(Lift &) Sliding door

"Flush" sliding sash outside

Grip outside < 10mm






M7B S.WS



(Lift &) Sliding door

"Flush" sliding sash outside


Grip outside < 10mm





(Lift &) Sliding door

"Flush" sliding sash outside

Grip outside < 10mm




M7B M.WS




(Lift &) Sliding door

"Flush" sliding sash outside

Grip outside < 10mm




M7A M.WS+





(Lift &) Sliding door

"Flush" sliding sash outside

Grip outside < 10mm




M7B M.WS+






(Lift &) Sliding door

"Flush" sliding sash outside

Grip outside < 10mm



M7B M.WS & C.F.



1	2
┌	+



1	2	3
+	┌	+



1	2	3	4
┌	+	+	+



4 screens cannot be connected,
max. 3 screens





(Lift &) Sliding door

"Flush" sliding sash outside

Grip outside < 10mm



M7B M.WS+ & C.F.



1	2
└	+



1	2	3
+	└	+



1	2	3	4
└	+	+	+




4 screens cannot be connected,
max. 3 screens


(Lift &) Sliding door

"Flush" sliding sash outside

Grip outside < 10mm




M7A L.WS




(Lift &) Sliding door

"Flush" sliding sash outside

Grip outside < 10mm





M7B L.WS




(Lift &) Sliding door

Flyscreen < 20mm thickness




(Lift &) Sliding door

Flyscreen < 20mm thickness




M7B M.WS




(Lift &) Sliding door

Flyscreen < 20mm thickness




M7A M.WS+




(Lift &) Sliding door

Flyscreen < 20mm thickness




M7B M.WS+








(Lift &) Sliding door

Flyscreen < 20mm thickness




M7B M.WS+ & C.F.




4 screens cannot be connected,
max. 3 screens

(Lift &) Sliding door

Flyscreen < 20mm thickness




M7B L.WS




(Lift &) Sliding door

Flyscreen > 20mm < 40mm thickness



M7B M.WS




(Lift &) Sliding door

Flyscreen > 20mm < 40mm thickness




M7A M.WS+




(Lift &) Sliding door

Flyscreen > 20mm < 40mm thickness




M7B M.WS+









(Lift &) Sliding door

Flyscreen > 20mm < 40mm thickness




M7B M.WS+ & C.F.




4 screens cannot be connected, max. 3 screens

(Lift &) Sliding door

Flyscreen > 20mm < 40mm thickness




M7B L.WS





(Lift &) Sliding door

Reinforced profile $\leq 40\text{mm}$




M7A M.WS+





(Lift &) Sliding door

Reinforced profile $\leq 40\text{mm}$




M7B M.WS+






(Lift &) Sliding door

Reinforced profile $\leq 40\text{mm}$



M7B M.WS+ & C.F.



1	2
└	+



1	2	3
+	└	+




1	2	3	4
└	+	+	+




4 screens cannot be connected,
max. 3 screens

(Lift &) Sliding door

Reinforced profile $> 40\text{mm} \leq 50\text{mm}$




M7B M.WS+







(Lift &) Sliding door

Reinforced profile > 40mm ≤ 50mm




M7B M.WS+ & C.F.




1	2
	+



1	2	3
+		+



1	2	3	4
	+	+	+




4 screens cannot be connected,
max. 3 screens


Minimalistic window

Reinforced
profile
 $\leq 40\text{mm}$

Width




M7A M.WF+





Minimalistic window

Reinforced profile $\leq 40\text{mm}$




M7B M.WF+






This drawing is the property of RENSON NV and may not be copied or shown to third parties without written permission. - Renson recommends the most suitable solution, other combinations may be possible.

Minimalistic window

Reinforced profile $\leq 40\text{mm}$



M7B M.WF+



1	2
→	+



1	2	3
+	→	+




1	2	3	4
→	+	+	+





4 screens and more cannot be connected, max. 3 screens

Minimalistic window

Reinforced profile $> 40\text{mm} \leq 50\text{mm}$






M7B M.WF+



This drawing is the property of RENSON NV and may not be copied or shown to third parties without written permission. - Renson recommends the most suitable solution, other combinations may be possible.

Minimalistic window

Reinforced profile > 40mm ≤ 50mm



1	2
→	+



1	2	3
+	→	+



1	2	3	4
→	+	+	+



4 screens and more cannot be connected, max. 3 screens